



Bold design.
Colorful options.

3300 Series Data Sheet



3300 SERIES

From bold design, smart features, and legendary performance, TeleMatrix 3300 Series corded phones make perfect sense for you and your guests. Flat panel design complements the look of flat screen television sets in the room. Choose from 7 standard or custom color handset accents to match any room décor and coordinate style with functionality. Features include patented OneTouch voice mail technology for hands-free auto-dialing and retrieval, and an integrated Ethernet pass-through port for guest connectivity. VoIP and analog CID configurations have an LCD screen. Matching Trimlines available.

VoIP Highlights

- Available in 1 or 2-line corded configurations
- Speakerphone or non-speakerphone
- LCD screen to display caller ID
- OneTouch voice mail retrieval technology
- 10, 5 or 0 programmable guest service keys
- Compatible with all major PABX systems
- 3-way conference calling (2-line models only)
- Dual-Port 10/100Mb switched Ethernet port for HSIA
- Full-length customizable faceplates
- Industrial grade construction with matte finish
- Non-slip base
- Available in Ash or Black

VoIP Information

Installation Includes

- RJ45 Line Cord — 12 ft/3.66 m
- Handset Coil Cord—9 ft/2.25 m
- Optional Wall Mount Bracket (not included)

Unit Dimensions

- 8.5" (l) x 6.75" (w) x 3.5" (h)—Main phone
- 9.75" (l) x 3.25" (w) x 2.5" (h)—Trimline

Packaging Weight

- Master Pack Quantities of 10 Units, 25.2 lbs

Certification

- FCC Part 68, FCC Part 15 & UL 1459 Ref. CE & ETL
- ADA/FCC Hearing Aid Compliant
- RoHS Environmentally Compliant



Analog Highlights

- Available in 1 or 2-line corded configurations
- Speakerphone or non-speakerphone
- OneTouch voice mail retrieval technology (message-waiting light only on 3300LBY & 3300MWB)
- 10, 5 or 0 programmable guest service keys
- Compatible with all major PABX systems
- 3-way conference calling (2-line models only)
- Convenient data port
- Full-length customizable faceplates
- Industrial grade construction with matte finish
- Non-slip base
- Available in Ash or Black

Analog Information

Installation Includes

- RJ11 Line Cord (for 1-line telephones)—12 ft/3.66 m
- RJ14 Line Cords (for 2-line telephones)—12 ft/3.66 m
- Handset Coil Cord—9 ft/2.25 m
- Optional Wall Mount Bracket (not included)

Line, MW, and Ringer Specification

- Line Voltage 24-52VDC (+/-)
- Line Current 20mA-100mA
- Auto detect for 90VDC Neon or Low Voltage LED
- Line 1 or Line 2 reverse polarity switch for MWI (available on European Models)
- Ringer Equivalence—0.6B

Unit Dimensions

- 8.5" (l) x 6.75" (w) x 3.5" (h)—Main phone
- 9.75" (l) x 3.25" (w) x 2.5" (h)—Trimline

Packaging Weight

- Master Pack Quantities of 10 Units, 27 lbs

Certification

- FCC Part 68, FCC Part 15 & UL 1459 Ref. CE & ETL
- ADA/FCC Hearing Aid Compliant
- RoHS Environmentally Compliant

Handset Insert Colors

Choose from seven handset insert color options to match your brand, office, or guest room décor. For handset insert color part numbers, add the following suffixes at the end of the ash or black part number.

Orange = ORG / Blue = BLU

Lime = LIM / White = WHI

Gray = GRA / Ochre = OCH

Red = RED

Example: 3300IP MWD Black with Red insert = 333391IP-RED



Configurations

VoIP Single-Line Non-Speakerphone

3300IP LBY (0 GSK, Lobby) Part Number 33V20NOL3 (Ash) / Part Number 33V10NOL3 (Black)
3300IP MWB (0 GSK) Part Number 33V210NOD3 (Ash) / Part Number 33V110NOD3 (Black)

VoIP Single-Line Speakerphone

3300IP MWD5 (5 GSK) Part Number 33V210S5D3 (Ash) / Part Number 33V110S5D3 (Black)
3300IP MWD (10 GSK) Part Number 33V210S10D3 (Ash) / Part Number 33V110S10D3 (Black)

VoIP Two-Line Speakerphone

3302IP MWD5 (5 GSK) Part Number 33V220S5D3 (Ash) / Part Number 33V120S5D3 (Black)
3302IP MWD (10 GSK) Part Number 33V220S10D3 (Ash) / Part Number 33V120S10S3 (Black)

VoIP Trimline

3300TRM-IP (1 Line) Part Number 33V210N3T3 (Ash) / Part Number 33V110N3T3 (Black)
3302TRM-IP (2 Line) Part Number 33V220N3T3 (Ash) / Part Number 33V120N3T3 (Black)

Analog Single-Line Non-Speakerphone

3300LBY (0 GSK) Part Number 33009 (Ash) / Part Number 330091 (Black)
3300MWB (0 GSK) Part Number 33039 (Ash) / Part Number 330391 (Black)
3300MW5 (5 GSK) Part Number 33139 (Ash) / Part Number 331391 (Black)
3300MW10 (10 GSK) Part Number 33239 (Ash) / Part Number 332391 (Black)

Analog Single-Line Speakerphone

3300MWD5 (5 GSK) Part Number 33149 (Ash) / Part Number 331491 (Black)
3300MWD (10 GSK) Part Number 33339 (Ash) / Part Number 333391 (Black)

Analog Two-Line Speakerphone

3302MWD5 (5 GSK) Part Number 34149 (Ash) / Part Number 341491 (Black)
3302MWD (10 GSK) Part Number 34359 (Ash) / Part Number 343591 (Black)
3302CID5 (5 GSK) Part Number 34849 (Ash) / Part Number 348491 (Black)
3302CID (10 GSK) Part Number 34859 (Ash) / Part Number 348591 (Black)

Analog Trimline

3300TRM (1 Line) Part Number 33119 (Ash) / Part Number 331191 (Black)

What's in the Box—Analog

3300 Series base 12-ft line cord
Handset Faceplate
9-ft coil cord Overlay

What's in the Box—VoIP

3300 Series base 12-ft RJ45 line cord
Handset Faceplate
9-ft coil cord Overlay



U.S. Toll Free 1 800 794 8353
Telephone +1 719 638 8821
Fax +1 719 638 8757

info@telematrix.net
www.telematrix.net